




Scan results for **teccpainting.com**

 **Accessible**

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled to help you be inclusive and comply with legislation.

 **accessWidget** is detected on the website

Thank you for making your website accessible and inclusive for all users with  **accessiBe**







**Congratulations!**

Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	15	0	100

### Successful Elements

```
<button class="cky-banner-btn-close " data-cky-tag="close-button" data-custom-button-processed="true" role="button"> <span data--="true" " data--position="before" aria-hidden="false" >Close</span> <span data--="true" " data--position="before" aria-hidden="false" >Close</span> <svg aria-hidden="true" class="e-font-icon-svg e-eicon-play" viewBox="0
0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="tru ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" ta
bindex="0" > <span data--="true" " data--position="before" aria-hidden="false" >Prev
ious slide</span><svg aria-hidden="true" class="e-font-icon-svg e-eicon-che ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" ta
bindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next
slide</span><svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron ...
```

10 Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. Yes Pass - 100

11 Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it. No 0 0

12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. Yes Pass - 100

13 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. No 0 0

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. No 0 0

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. Yes 3 0 100

### Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" >
<li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data
-acsb-menu-root="true" data-acsb-hover="true" > <a href="https:// ...
```

```
<nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__containe
r elementor-nav-menu--layout-horizontal e--pointer-background e--animation-fade" ro
le="navigation" data-acsb-main-menu="true"> <ul id="menu-1-b968522" class="eleme ...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" >
<li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data
-acsb-menu-root="true"> <a href="https://teccpainting.com/privacy- ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". Yes 5 0 100

## Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-3" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-5" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-7" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-9" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

17

Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

5

0

100

## Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-3" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-5" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-7" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-9" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```



Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

## Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0
----	---	----	---	---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	49	0	100
----	---	-----	----	---	-----

### Successful Elements

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" data-name="Layer 1" viewBox="0 0 27.7 27.7" aria-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" ><defs ><style style=";background-color:#ffffff!important;colo ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" data-name="Layer 1" viewBox="0 0 55.5 30.9" ><defs ><style style=";background-color:#ffffff!important;color:#000000!important;" > .cls-1 { fill: #cb362e; } .cls-1, .cls-2 { ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" data-name="Layer 1" viewBox="0 0 27.7 27.7" style=";background-color:#ffffff!important;color:#000000!important;" > <defs ><style style=";background-color:#ffffff!important;color:#000000!important; t; ...
```

```
<svg class="e-font-icon-svg e-fas-caret-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c-7.8 7.8-20.5 7.8-28.3 0L17.2 22 ...
```

```
<svg class="e-font-icon-svg e-fas-caret-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c-7.8 7.8-20.5 7.8-28.3 0L17.2 226.1C4.6 213.5 13.5 192 31.3 192z" style="display: ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-play" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M838 162C746 71 633 25 500 25 371 25 258 71 163 162 71 254 25 367 25 500 25 633 71 746 16 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M646 125C629 125 613 133 604 142L308 442C296 454 292 471 292 487 292 504 296 521 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M696 533C708 521 713 504 713 487 713 471 708 454 696 446L400 146C388 133 375 125 ...
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" ></span>
```



```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M646 125C629 125 613 133 604 142L308 442C296 454 292 471 292 487 292 504 296 521 308 533L604 854C617 867 629 875 ...
```

21 Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. Yes 2 0 100

#### Successful Elements

```
<figure class="swiper-slide-inner" role="none"><picture decoding="async" class="swiper-slide-image"> <source type="image/avif" srcset="https://teccpainting.com/wp-content/uploads/2024/04/down-net_http20240329-65-lsv0by-1024x473.jpg.avif" aria-hidden = ...
```

```
<figure class="swiper-slide-inner" role="none"><picture decoding="async" class="swiper-slide-image"> <source type="image/avif" srcset="https://teccpainting.com/wp-content/uploads/2024/04/down-net_http20240329-77-gazy2x-1024x768.jpg.avif" aria-hidden = ...
```

22 Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. No 0 0

23 Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. No 0 0

24 Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). Yes 5 0 100

#### Successful Elements

```
<input name="input_1" id="input_1_1" type="text" value="" class="large" placeholder="Full Name" aria-invalid="false" aria-hidden="false" data-acsb-validation-uuid="input_1_1" data-acsb-field-visible="true" aria-required="false" aria-label="Full N a ...
```

```
<input name="input_3" id="input_1_3" type="text" value="" class="large" placeholder="Email" aria-invalid="false" aria-hidden="false" data-acsb-validation-uuid="input_1_3" data-acsb-field-visible="true" aria-required="false" aria-label="Email" dat a ...
```

```
<input name="input_5" id="input_1_5" type="text" value="" class="large" placeholder="Phone Number" aria-invalid="false" aria-hidden="false" data-acsb-validation-uuid="input_1_5" data-acsb-field-visible="true" aria-required="false" aria-label="Pho n ...
```

```
<input name="input_6" id="input_1_6" type="text" value="" class="large" placeholder="Property Address" aria-invalid="false" aria-hidden="false" data-acsb-validation-uuid="input_1_6" data-acsb-field-visible="true" aria-required="false" aria-label="..."
```

```
<textarea name="input_4" id="input_1_4" class="textarea small" placeholder="Special Notes" aria-invalid="false" rows="10" cols="50" aria-hidden="false" type="textarea" data-acsb-validation-uuid="input_1_4" data-acsb-field-visible="true" aria-requi ...
```

25 Form elements cannot have the same ID, or else their corresponding label will provide false information. No 0 0

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. No 0 0

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes 13 0 **100**

#### Successful Elements

```
<div id="e-n-tab-content-404194211" role="tabpanel" aria-labelledby="e-n-tab-title-404194211" data-tab-index="1" style="--n-tabs-title-order: 1;" class="e-active elementor-element elementor-element-dabf5a9 e-con-full e-flex default section-default-pa ...
```

```
<div id="e-n-tab-content-404194212" role="tabpanel" aria-labelledby="e-n-tab-title-404194212" data-tab-index="2" style="--n-tabs-title-order: 2;" class="elementor-element elementor-element-7b81da2 e-con-full e-flex default section-default-pad secti ...
```

```
<div id="e-n-tab-content-404194213" role="tabpanel" aria-labelledby="e-n-tab-title-404194213" data-tab-index="3" style="--n-tabs-title-order: 3;" class="elementor-element elementor-element-05892c7 e-con-full e-flex default section-default-pad secti ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241327832-2" role="group" aria-hidden="true" aria-labelledby="sm-17211279241327832-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241327832-4" role="group" aria-hidden="true" aria-labelledby="sm-17211279241327832-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241327832-6" role="group" aria-hidden="true" aria-labelledby="sm-17211279241327832-5" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children" > <a href="#" > Home </a> </li> </ul>
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241327832-8" role="group" aria-hidden="true" aria-labelledby="sm-17211279241327832-7" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children" > <a href="#" > About </a> </li> </ul>
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241327832-10" role="group" aria-hidden="true" aria-labelledby="sm-17211279241327832-9" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children" > <a href="#" > Contact </a> </li> </ul>
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241342183-2" role="group" aria-hidden="true" aria-labelledby="sm-17211279241342183-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children" > <a href="#" > Services </a> </li> </ul>
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-17211279241342183-4" role="group" aria-hidden="true" aria-labelledby="sm-17211279241342183-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children" > <a href="#" > Projects </a> </li> </ul>
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. Yes Pass - 100

#### Successful Elements

```
<form method="post" enctype="multipart/form-data" target="gform_ajax_frame_1" id="gform_1" action="/#gf_1" data-formid="1" data-acsb-form-uuid="ao15srjodj" data-acsb-form-type="standard"> <div class="gform-body gform_body">< ...
```

30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. No 0 0

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

#### Successful Elements

```
<title>Painting Contractors Colorado Springs CO - TECC Painting</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100
----	--	-----	------	---	-----

#### Successful Elements

```
<html lang="en-US" prefix="og: https://ogp.me/ns#" dir="ltr" id="acsb-light-contrast" class="acsb-light-contrast" style="--acsb-keynav: 3px;"><head> <meta charset="UTF-8"> <script type="text/javascript" async="" src="https://moderate.cleantalk.org/1 ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100
----	--	-----	------	---	-----

#### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100
----	---	-----	---	---	-----

#### Successful Elements

```
<main id="content" class="site-main post-1895 page type-page status-publish hentry progress_status-has-changes" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-post" data-elementor-id="1895" class="e ...
```

```
<footer data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <style id="elementor-post-1964" >.elementor-1964 .elementor-element.elementor-cbc95a1{--display:flex;--flex-direction:row;--container-widget-width:initial; ...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	75	0	100
----	--	-----	----	---	-----

## Successful Elements

```
<p class="cky-title " data-cky-tag="title" style="undefined" data-acsb-original-style="color: #212121;" acsb-original-style="color: #212121;" role="heading" data-acsb-fake-title="true" aria-level="2"> We value your privacy </p>
```

```
<p >This website or its third-party tools process personal data. You can opt out of the sale of your personal information by clicking on the "Do Not Sell or Share My Personal Information" link.</p>
```

```
<button class="cky-btn cky-btn-do-not-sell " aria-label="Do Not Sell or Share My Personal Information" data-cky-tag="donotsell-button" style="undefined;background-color:#ffffff!important" data-custom-button-processed="true" data-acsb-original-sty ...
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Careers</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Financing</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Get a Quote</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">719-577-9300</span>
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-3" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17211279241178547-5" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" styl ...
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100
----	---	-----	---	---	-----

## Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" ta
bindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Prev
ious slide</span><svg aria-hidden="true" class="e-font-icon-svg e-eicon-che ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" ta
bindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next
slide</span><svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" ar
ia-label="Previous slide" aria-controls="swiper-wrapper-5d82fe95fa956f62" aria-hidd
en="true" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-l ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" ar
ia-label="Next slide" aria-controls="swiper-wrapper-5d82fe95fa956f62" aria-hidden
="true" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right ...
```

40 A common accessibility mistake is to treat carousels as No 0 0  
live regions using the "aria-live" attribute and the  
"polite" or the "assertive values. Using this practice will  
cause screen-readers to cut and skip announcements.

41 Carousel pagination items (usually used as small dots at No 0 0  
the bottom of the carousel) should indicate their  
functionality and slide number they control using an  
"aria-label" and a screen-reader only text.

42 Tables that are being used as layout structures should No 0 0  
include a "role" attribute that equals to "presentation" to  
indicate to screen-readers that it is not really a table.

43 If nested tables are used (a table element within a table No 0 0  
cell), set the nested tables "role" attribute to  
"presentation".

44 Tables that are missing a THEAD row with TH elements, No 0 0  
should include a "role" attribute that equals to  
"rowheader" on the TD elements of the TR that  
represents the visual table headings.

45 Visually deleted texts (often used to show a previous No 0 0  
price of a sale) should include an "aria-label" attribute or  
a screen-reader only text that explains this is deleted  
text.

46 Breadcrumbs main element should include a "role" No 0 0  
attribute that equals to "navigation" and an "aria-label"  
attribute that describes the functionality."



47	Ratings/scores that are represented visually using stars, No meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
----	--	----	---	---

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
----	---	-----	------	---	-----

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100
----	---	-----	------	---	-----

**Successful Elements**

```
<iframe style="display:none;width:0px;height:0px;" src="about:blank" name="gform_ajax_frame_1" id="gform_ajax_frame_1" aria-hidden="true" data-acsb-original-style="display:none;width:0px;height:0px;" data-acsb-possible-star="true" ><span class="ac S ...
```